Andrew J. Zarutskie Town Clerk Town of Newburgh 1496 Route 300 Newburgh NY 12550 Tel.(845) 564-4554

AGENDA

AUDIT/WORKSHOP TOWN COUNCIL MEETING Wednesday, March 27, 2013 (7:00 p.m.)

- 1. ROLL CALL
- 2. PLEDGE OF ALLEGIANCE TO THE FLAG
- 3. MOMENT OF SILENCE
- 4. CHANGES TO AGENDA
- 5. APPROVAL OF AUDIT
- 6. LEGAL: Agreements for Use of Town Equipment & Buildings
- 7. OUTSIDE USER REQUEST: Crystal Run Village
- 8. POLICE V & T: Carter Avenue (Discussion on Traffic Calming)
- 9. FLEET MAINTENANCE: Emergency Lighting Bill
- **10. PARKS, RECREATION & CONSERVATION:**
 - A. Mill Street Property
 - B. Loan of Trolley
- 11. PLANNING BOARD: Parke Lane Recreational Fees
- 12. ENGINEERING: Chadwick Lake Filter Plant Manganese Treatment
- **13. DATA PROCESSING:**
 - A. Purchase of Computer Maintenance Time
 - B. Copier Town Clerk's Office
- 14. POSSIBILITY OF EXECUTIVE SESSION: Town of Newburgh Consolidates Water District Consent Fee

15. ADJOURNMENT

5. APPROVAL OF AUDIT

,

:

۰ . 6. LEGAL: Agreements for Use of Town Equipment & Buildings

INDEMNIFICATION AND HOLD HARMLESS AGREEMENT FOR BORROWED EQUIPMENT

This Agreement made the _____ day of _____, 20___ by and between _____, having its principal place of business at ______, (the "Borrower") and the TOWN OF NEWBURGH a municipal corporation having its principal offices at 1496 Route 300, Newburgh, New York (the "Town").

WHEREAS, the Town owns certain personal property/equipment listed in Schedule A annexed hereto (the "Equipment"); and

WHEREAS,	the Borrower has requ	ested the use of Equipn	nent for the following ever	nt: to
be conducted on	3	at the following place		:
			(the "Event")	and

WHEREAS, the Borrower in order to induce the Town to permit the Borrower to use the Equipment is prepared to enter into this Agreement and represent and warrant the undertakings as hereinafter set forth.

NOW, THEREFORE, the Borrower and the Town agree as follows:

1. In consideration of the Town permitting the Borrower to use the Equipment for the Event, the Borrower agrees to defend, indemnify, save and hold the Town, its officers, agents and employees harmless from any and all claims, damages, losses, liabilities, obligations, penalties, litigation, demands, judgments, suits and proceedings that might arise at any time from the transportation to and from, storage, operation and use of the Equipment for the Event, including but not limited to the Town's reasonable costs and expenses, including counsel fees.

2. Borrower shall obtain any and all governmental approvals for the transportation, storage, operation and use of the Equipment for the Event and represents and warrants to the Town that the Town's permission to use the Equipment is an accommodation to Borrower and the Borrower assumes all risk of loss arising from the transportation, storage, operation and use of the Equipment for the Event.

3. Borrower agrees to pay to the Town the reasonable cost of any repair or replacement of the Equipment which arises from damage to the Equipment occurring during the transportation to and from, storage, operation and use of the Equipment for the Event.

4. Borrower shall obtain and maintain the following insurance in the minimum amounts specified below covering the transportation to and from, storage, operation and use of the Equipment for the Event which shall name the Town as an additional insured:

G:\CLIENTS\TON\AGREEMENTS\HOLD HARMLESS AGREEMENT FOR BORROWED EQUIPMENT.DOC

6

i. Comprehensive General Liability Policy with limits of liability of at least
 \$1,000,000 per occurrence and \$2,000,000 in the aggregate; and,

if the Equipment listed on Schedule "A" includes one or more vehicles:

ii. Comprehensive Automobile Liability Policy for "any auto" with a combined

limit of liability of at least \$1,000,000.

5. The Equipment shall not be transported from Town property until all the insurance required under this Agreement has been obtained and such insurance has been approved by the Town. Certificates of Insurance evidencing such insurance shall be filed with the Town prior to transport of the Equipment. These Certificates shall contain a provision that the coverage afforded under the policies will not be cancelled unless at least ten (10) days prior written notice has been received by the Town.

6. The Borrower acknowledges that the Town, its officers, agents and employees have made no representation or warranty with regard to the suitability or condition of the Equipment and the Borrower will perform its own inspection prior to the operation and use of the Equipment for the Event.

7. The Borrower represents that each item of Equipment will not be operated or used in an unsafe manner or in violation of any known manufacturers guidelines and acknowledges that the Town reserves the right to require that the Equipment item be removed from service or shut down in the event any such violation is reported or observed.

IN WITNESS WHEREOF, the parties hereto have set their hands and seals the day and year first above written.

Ву:_____

Printed Name:_____ Title:

TOWN OF NEWBURGH

By:___

Wayne C. Booth, Supervisor

G:\CLIENTS\TON\AGREEMENTS\HOLD HARMLESS AGREEMENT FOR BORROWED EQUIPMENT.DOC

SCHEDULE "A"

Town of Newburgh Items of Personal Property/Equipment

G:\CLIENTS\TON\AGREEMENTS\HOLD HARMLESS AGREEMENT FOR BORROWED EQUIPMENT.DOC

INDEMNIFICATION AND HOLD HARMLESS AGREEMENT FOR BUILDING USE

This Agreement made the _____ day of ______, 20___ by and between ______, having its principal place of business at ______, (the "Licensee") and the TOWN OF NEWBURGH a municipal corporation having its principal offices at 1496 Route 300, Newburgh, New York (the "Town").

WHEREAS, the Licensee has requested to use the _____ room in the Building on _____, ____ for purposes of conducting a meeting/conference/public hearing (the "Event") and

WHEREAS, the Licensee in order to induce the Town to permit the Licensee to use the Building is prepared to enter into this Agreement and to represent and warrant the undertakings as hereinafter set forth.

NOW, THEREFORE, the Licensee and the Town agree as follows:

1. In consideration of the Town permitting the Licensee to use the Building for the Event, the Licensee agrees to defend, indemnify, save and hold the Town, its officers, agents and employees harmless from any and all claims, damages, losses, liabilities, obligations, penalties, litigation, demands, judgments, suits and proceedings that might arise at any time from the Licensee's use of the Building for the Event, including but not limited to the Town's reasonable costs and expenses, including counsel fees.

2. Licensee shall observe occupancy limits and any and all other governmental laws, rules and regulations governing the use of the Building for the Event and represents and warrants to the Town that the Town's permission to use the Building is an accommodation to Licensee and the Licensee assumes all risk of loss arising from the use of the Building for the Event.

3. Licensee agrees to pay to the Town the reasonable cost of any repair or replacement of the any section or all of the Building for damage to the Building arising from Licensee's use of the Building for the Event.

4. Licensee shall obtain and maintain the following insurance in the minimum amounts specified below covering the transportation to and from, storage, operation and use of the Building for the Event which shall name the Town as an additional insured:

Comprehensive General Liability Policy with limits of liability of at least \$1,000,000

G:\CLIENTS\TON\AGREEMENTS\HOLD HARMLESS AGREEMENT FOR BUILDING USE.DOC

per occurrence and \$2,000,000 in the aggregate.

5. The Building shall not be used by the Licensee until the insurance required under this Agreement has been obtained and such insurance has been approved by the Town. A Certificate of Insurance evidencing such insurance coverage shall be filed with the Town prior to use of the Building. The Certificate shall contain a provision that the coverage afforded under the policy will not be cancelled unless at least ten (10) days prior written notice has been received by the Town.

6. The Licensee acknowledges that the Town, its officers, agents and employees have made no representation or warranty with regard to the suitability or condition of the Building and the Licensee will perform its own inspection prior to the use of the Building for the Event.

IN WITNESS WHEREOF, the parties hereto have set their hands and seals the day and year first above written.

By:

Printed Name:_____ Title:_____

TOWN OF NEWBURGH

By: Wayne C. Booth, Supervisor

G:\CLIENTS\TON\AGREEMENTS\HOLD HARMLESS AGREEMENT FOR BUILDING USE.DOC

£

AUDIT # 6

March 27, 2013

VOUCHERS: 131093 to 131339

FUND		REGULAR		PREPAID
GENERAL	\$	415,802.52	\$	155,120.37
TRUST & AGENCY		6,985.20		-
STREET LIGHTING		-		-
HIGHWAY		85,165.59		7,752.57
WATER		209,831.03		11,113.31
SEWER		14,880.30		1,192.71
WATER CAPITAL		1,103,335.47		-
SEWER CAPITAL		-		-
HIGHWAY CAPITAL		-		-
GENERAL CAPITAL		-		-
SPECIAL DISTRICT				
TOTAL	<u>^</u>	1 000 000 11	<u>^</u>	475 470 00
TOTAL	\$	1,836,000.11	\$	175,178.96
GRAND TOTAL	\$	2,011,179.07		

\$

AUDIT # 6 3/27/2013 VOUCHERS: 131093 to 131339

Audit Date: March 27, 2013

To the Supervisor:

I certify that the vouchers listed above were audited by the Town Board on the above date and allowed in the amounts shown. You are hereby authorized and directed to pay each of the claimants the amount opposite his name.

I acknowledge the following vouchers are in violation of New York State's General Municipal Law section 103 (Competitive Bidding Laws) and approve payment thereof.

Voucher	Vendor Name	Amount
131229	Holland Co.	6,930.00
131260	Amthor welding	720.00
131261	Amthor welding	128.30
Dated:		
		Andrew J. Zarutskie, Town Clerk
<u>Town Board:</u>		Exceptions:
		-

7. OUTSIDE USER REQUEST: Crystal Run Village

TOWN OF NEWBURGH
TOWN ENGINEER
1496 Rte. 300
Newburgh, NY 12550
(845) 564-7814

\mathbb{D}	ECEIVE	M
	MAR 2 6 2013	IJ

MEMORANDUM

TO:	Wayne Booth, Town Supervisor & Town Board
FROM:	James W. Osborne, Town Engineer کتریک
DATE:	March 26, 2013
•	
RE:	S \ GIDNEY SEWER DISTRICT – OUTSIDE USER REQUEST

Crystal Run Village Inc., is requesting permission to hook-up to the municipal sewer system at the intersection of Fostertown Road and Wells Road. An existing single family house exists on the lot and an addition is planned to be constructed for a 6 bedroom house for a group home for disabled adults. The property in question – Section 17, Block 4, Lot 8.12 – is not in the Gidney Sewer District and would need to execute an Outside User Agreement to receive a Sewer Connection Permit. Therefore, the Town Board needs to grant Outside User Status to the property and authorize the Supervisor to execute the Outside User Agreement.

As the above requires Town Board action, I am requesting that this item be placed on the next available agenda for approval. If you have any questions or comments, I am available to discuss them with you.

JWO/id

Attachment

cc: M. Taylor, Attorney J. Venezia, Assessor ML. Venuto, Recr. of Taxes J. Platt, DPW Comm.



8. POLICE V & T: Carter Avenue (Discussion on Traffic Calming)

Receive) 3-22-13



TOWN OF NEWBURGH POLICE DEPARTMENT

300 Gardnertown Road, Newburgh, New York 12550

Michael Clancy Police Chief

(845) 564-1100

To: Wayne Booth, Town Supervisor

From: Chief Michael Clancy

Subject: Carter Avenue

Date: March 22, 2013

With regards to the possible placement of stop signs along Carter Avenue, it is my opinion that the placement of said signs at different points along the road would cause motorists to reduce their speeds and make for a safer travel.

Before forming this opinion, I looked at several factors. First, I reviewed the results of the 2012 traffic study commissioned by the Town which showed that a high percentage of drivers on Carter Avenue are exceeding the speed limit and that some speeds were more than double the posted speed limit. I then examined the character of the road and noted that it's quite narrow with no shoulders. Many residents must back out of their driveways to get onto the road which can be difficult during peak times and when other drivers are well over the speed limit. Lastly, I took into consideration dozens of complaints made to the Police Department by Carter Avenue residents complaining of both high speed traffic and reckless driving that, they claim, occurs daily and poses a risk of accidents.

It would be my recommendation that if stop signs were to be placed on Carter Avenue, they should be placed facing both directions at both the Leslie Road and Brooker Drive intersections. I would further recommend that if signs are installed, that they be covered up for a period of about three weeks to afford passing motorists a chance to see that new signs are there and will soon be in effect.

9. FLEET MAINTENANCE: Emergency Lighting Bill

1

TOWN OF NEWBURGH FLEET MAINTENANCE 88 GARDNERTOWN ROAD NEWBURGH, NY 12550 (845) 561-2288 Fax# (845) 561-3975

TO: Wayne Booth, Supervisor, and Town Board Members

FROM: James LaColla, Head Mechanic-Fleet Maintenance

DATE: March 25, 2013

RE: Emergency Lighting Bid

CC: Jacqueline Calarco, Accountant Michael Clancy, Chief of Police Andrew Zarutski, Town Clerk

On Friday March 22nd, a bid opening was held for Emergency Equipment packages for four (4) Police Interceptors. Two vendors submitted bids. (Attached) I recommend that ⁻ the lower bid of \$29,698 from NYCOMCO (Hudson Valley Safety Lighting) be accepted. If there are any questions regarding this matter please contact me. Thank You.

Emergency Equipment Police Interceptors 2013 Bid

Bid Opening March 22, 2013 @ 10:00 a.m.

Present at opening Andrew Zarutskie, Town Clerk Deborah A. Smith, Deputy Town Clerk James LaColla, Head Mechanic

BIDDER

AMOUNT

29,69800

Ny com co.

Goosetown

\$ 29,849

FLEET MAINTENANCE JAMES LACOLLA, HEAD MECHANIC

MARCH 4, 2013

Please set a bid opening date for the purchase and installation of Ethergency Equipment Packages for four (4) 2013 Ford Police Interceptors.

Equipment will include the following:

8 Whelen SLPMMWR Slimlighters (windshield mounted)

4 Whelen SLPMMRB Slimlighters (rear window mounted)

8 Whelen IONSMD LED lights (intersection lights)

32 Whelen VTX609 super LED Vertex Hide A Ways (front corner, brake, backup and headlights)

8 Whelen RSR03ZCR TIR3 LED lights (grill lights)

8 Whelen RBKT1 grill light brackets

4 Whelen MBFT11DD LED mirror mounted lights

4 Delta UTMD-MB siren/light controller

4 Whelen SA315P 100 watt siren speaker W/ mounting bracket

4 Unity 211010-0002 driver side A post spotlight W/ black housing

4 Unity 258 spotlight mounting bracket kit

4-Laguna FE3501 transport seat-

4 Setina PK0107TAU10SCA Prisoner partition

4 Setina PP7254 Lower partition extension

4 Setina GK10301S1U Dual gun locking system

4 Havis Shield C-VS-1308-INSE 21" console

4 Havis Shield C-LP-3 12 volt power plugs

APPROVED Date of Town Board Action:

MAR - 4 2013

Vote of Town Board: び や

Andrew V.Zarutskie, Town Clerk



53 West Cedar Street Poughkeepsie, NY 12601 845-471-5520 845-471-5593 (fax) jeff25@nycomco.com

March 22, 2013

Town of Newburgh Town Board

Dear Board Members,

Below is an itemized bit to outfit 4 Ford Taurus police vehicles. We truly appreciate the opportunity to bid your emergency vehicle lighting project.

- 8 Whelen SLPMMWR Slimlighters W/ mounting brackets (windshield mounted): \$300.00 X 8 = \$2,400.00
- 4 Whelen SLPMMRB Slimlighters W/ mounting brackets (rear window mounted): \$300.00 X 4 = \$1,200.00
- 8 Whelen IONSMD LED lights (intersection lights): \$134.00 X 8 = \$1,072.00

32 Whelen VTX609 super LED Vertex Hide A Ways (front corner, brake, backup and headlights): \$76.00 x 32 = \$2,432.00

- 8 Whelen RSR03ZCR TIR3 LED lights (grill lights): \$72.00 X 8 = \$576.00
- 8 Whelen RBKT1 grill light brackets: \$9.00 X 8 = \$72.00
- 4 Whelen MBFT11DD LED mirror mounted lights: \$275.00 X 4 = \$1,100.00
- 4 Delta UTMD-MB siren/light controller: \$675.00 X 4 = \$2,700.00
- 4 Whelen SA315P 100 watt siren speaker W/ mounting bracket: \$195.00 X 4 = \$780.00
- 4 Unity 211010-0002 driver side "Â" post spotlight W/ black housing: \$145.00 X 4 = \$580.00
- 4 Unity 258 spotlight mounting bracket kit: \$53.00 X 4 = \$212.00
- 4 Laguna FT3501 transport seat: \$495.00 X 4 = \$1,980.00
- 4 Setina PK0107TAU10SCA Prisoner partition: \$508.00 X 4 = \$2,032.00
- 4 Setina PP7254 Lower partition extension: \$55.00 X 4 = \$220.00
- 4 Setina GK10301S1U Dual gun locking system: \$349.00 X 4 = \$1,396.00
- 4 Havis Shield C-VS-1308-INSE 21" console: \$365.00 X 4 = \$1,460.00
- 4 Havis Shield C-LP-3 12 volt power plugs: \$39.00 X 4 = \$156.00
- 4 Labor for installation: $$2,200.00 \times 4 = $8,800.00$
- 4 Freight: \$530.00

GRAND TOTAL: \$29,698.00

Date: 3-20-1

FORM C NON-COLLUSIVE BIDDING CERTIFICATION

By submission of this bid, each bidder and each person signing on behalf of any bidder cettifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief: (1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

The bidder further certifies that this bid is made without any connection with any other person making a bid for the same purpose, and is in all respects fair and without collusion or fraud, and that no elected official or other officer or employee or person whose salary is payable in whole or in part from the Town treasury is directly or indirectly interested therein, or in supplies materials and equipment to which it relates, or in any portion of the profits thereof.

Bidder Name and Address	. <u>New York Communications</u>
	53 West Cedar Street Poughkeepste, NY 12601
Signature (Authorized): B	Y: RII Att
Title:President	



58 NORTH HARRISON AVENUE CONGERS, NY 10920 (845) 268-7500 FAX (845) 268-5345 (888) 466-7386

34 GARDEN STREET NEW ROCHELLE, NY 10801 (914) 576-3607 FAX (914) 576-3642

March 21, 2013

Mr. Andrew J. Zarutskie Town Clerk Town of Newburg 1496 Route 300 Newburg, NY 12550

Seal Bid Due 10a.m. 3/22/13

Dear Mr. Zarutskie,

Goosetown Communications is please to submit the enclosed quote as a response to your request for bid. We take exception to your 20 mile requirement. Our service facility is located in Congers, New York, and is 27.3 miles from your facility. Our price includes transporting your vehicles to and from our facility on a car carrier.

If you have any questions please feel free to contact us at 845-268-7500.

Thank you for considering Goosetown Communications. The source for all your communications needs.

Regards,

David Gottlieb Vice President





Service Partner

Goa	

Goosetown Communications

Phone: 845-268-7500 Fax: 845-268-5345 58 N. Harrison Ave Congers, NY 10920 Quote

No.: Date:

355 3/21/2013

Prepared for:	Prepared by: Jerry Ables
	Account No.: 2911
Town of Newburgh Police	Phone: (845) 564-1100
300 Gardnertown Road	Fax: (845) 564-1870
Newburgh, NY 12550 United States	

Total	Sell	UOM	Description	Part Number	Qty.
\$760.00	\$95.00	EA	Installation of Slim Lighter LED Lights To	96246120006	8.00
#1 77(00	****		Front Window Area	ar m a m a	0
\$1,776.00	\$222.00	EA .	SLIMLIGHTER SUPER-LED RED/WHT	SLPMMRC	8
\$380.00	\$95.00	EA	Installation of Slim Lighter To Rear Window Area	96246120006	4.00
\$888.00	\$222.00	EA	SLIMLIGHTER SUPER-LED RED/BLU	SLPMMRB	4
\$380.00	\$95.00	EA	Installation of Intersection Lights	96246120006	4.00
\$801.60	\$100.20	EA	SURFACE MT ION LT RED/WHT	IONSMD	8
\$2,090.00	\$522.50	EA	Installation of eight (8) Vertex LED	96246120018	4.00
4=,02000	<i>QUALICO</i>		Hideaways		
\$619.20	\$77.40	EA	VERTEX SUPER-LED LIGHT RED	VTX609R	8
\$1,857.60	\$77.40	EA	VERTEX SUPER-LED LIGHT WHITE	VTX609C	24
\$380.00	\$95.00	EA	Installation of Grill Lights (Halogen or LED)	96246120006	4.00
\$446.40	\$55.80	EA	TIR3 HORIZ. SYNC. RED	RSR03ZCR	8
\$50.40	\$6.30	EA	ANGLE BRACKET FOR SINGLE TIR3	RBKT1	8
\$760.00	\$190.00	EA	Installation of mirror strobes or LED's	96246120019	4.00
\$847.20	\$211.80	EA	ION Mirror-Beam Taurus RW-RW	MBFT11DD	4
\$1,520.00	\$380.00	EA	Installation of Siren and Siren Speaker	96246120004	4.00
\$2,700.00	\$675.00	EA	Touchmaster Delta Siren W/ Mic	UTMD-MB	4
\$744.00	\$186.00	EA	SA315P SPEAKER, BLACK PLASTIC	SA315P	4
- \$760.00	\$190.00	EA	Installation of Console	96246120005	4.00
\$1,050.00	\$262.50	EA	CON, VS, 23TMS, DG, HC, INSE, 2013,	C-VS-1508-INSE	4
\$123.20	\$30.80	EA	CON, ACSY, PLT, IM, 2MS, [3] LPO,	C-LP-3	4
\$950.00	\$237.50	EA	Installation of cage partition - Sedan , Van or SUV	96246120031	4.00
\$2,380.00	\$595.00	EA	Laguna Seat W/ Laguna Seat Belts	FE3501	4
\$1,996.00	\$499.00	EA	Setina Partition Uncoated	PK0107TAU12SCA	4
\$260.00	\$65.00	EA	Lower Extension Panel	PP7254	4
\$570.00	\$142.50	EA	Installation of shotgun/rifle mounts with momentary switch	96246120029	4.00
\$1,500.00	\$375.00	EA	Dual Weapon T-Rail system	GK10301S1U	4
\$760.00	\$190.00	EA	Installation of Driverside Spotlight	96246120019	4.00
\$1,120.00	\$280.00	EA	6" Round Spotlight Driverside Black Housing	211010-0002	4
\$380.00	\$95.00	EA	Unity Installation Kit	258	4

Item Total:	\$28,849.60
Sales Tax at 0.000%:	\$0.00
Freight:	\$1,000.00

Total: \$29,849.60

••

·

FORM C NON-COLLUSIVE BIDDING CERTIFICATION

By submission of this bid, each bidder and each person signing on behalf of any bidder certifies, and in the case of a joint bid each party thereto certifies as to its own organization, under penalty of perjury, that to the best of knowledge and belief: (1) The prices in this bid have been arrived at independently without collusion, consultation, communication, or agreement, for the purpose of restricting competition, as to any matter relating to such prices with any other bidder or with any competitor; (2) Unless otherwise required by law, the prices which have been quoted in this bid have not been knowingly disclosed by the bidder and will not knowingly be disclosed by the bidder prior to opening, directly or indirectly, to any other bidder or to any competitor; and (3) No attempt has been made or will be made by the bidder to induce any other person, partnership or corporation to submit or not to submit a bid for the purpose of restricting competition.

The bidder further certifies that this bid is made without any connection with any other person making a bid for the same purpose, and is in all respects fair and without collusion or fraud, and that no elected official or other officer or employee or person whose salary is payable in whole or in part from the Town treasury is directly or indirectly interested therein, or in supplies materials and equipment to which it relates, or in any portion of the profits thereof.

Bidder Name and Address: 58 N, HARRISON AVE CONGERS, NY 10920

Signature (Authorized): BY: David foll

Date: \$\Z1/13

Title:

- PARKS, RECREATION & CONSERVATION:A. Mill Street PropertyB. Loan of Trolley 10.



TOWN OF NEWBURGH RECREATION DEPARTMENT

311 ROUTE 32, NEWBURGH, NY 12550

Robert J. Petrillo Commissioner of Parks, Recreation & Conservation 845-564-7815 FAX: 845-564-7827

March 22, 2013

TO: Wayne Booth, Supervisor Town Board Members

FROM: Robert J. Petrillo, Commissioner

RE: Mill Street Property Purchase

There are currently three pieces of property for sale on Mill Street (100, 114 and 118 Mill Street) in the Town. Property numbers 114 and 118 combined are 8.6 acres and belong to Mr. and Mrs. Young who are both deceased. Mr. Frank Gucciardo (home 565-3733 and cell 476-1902) is handling the estate. To the west is the other parcel (100 Mill Street), 1.6 acres owned by Mr. Mowatt (725-7754). This property is vacant and currently in foreclosure, the taxes are being paid by Homeward Bank. These properties are contiguous to Town property and have the Quassaick Creek running through them (see attachments).

At this time I suggest we have the Young property appraised and possibly look to either purchase the Mowatt property or use eminent domain to acquire the land.

If anyone is interested in a site visit please contact me.

Regards. Robert J. Petrillo

Robert J. Petrillo Commissioner



Parcel 4:1-32:1 Parcel Peimit Deed Reference History Parcel Land Size Assessment Received Land Size Spec Dist(s) Spec Dist(s) Description Bid Downel(s) Acrest Images Acrost Location Land(s) Parcel Location Steet No. Prefix Dir. Street Name Street No. Prefix Dir. Street Side: Images Int No. Steet Side: Multi Name Table Side: Diny Walls/line	val *** und up *** und -1-321 /oung, Robert J 14 Mill St	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII
	 C) History Assessment Exempt(s) Spec Dist(s) Description Owner(s) Images Gis Site (1) Res Land(s) Bldg Imprvmt(s) 	Parcel Land Size Acres: Item Front .00 Depth: .00 Sqft Irregular Lot Garid Coordinates Active Code: Active Modified 11/01/2012 01:02 PM East: Active Code: Active Modified 11/01/2012 01:02 PM North Account No: Modified 11/01/2012 01:02 PM User Name Batch FM by mike Folder: PARCEL Parcel Location Street Name St Suffix: Post Dir. Street No Prefix Dir: Street Name St Suffix: Post Dir. Int Name: Unit No: Street Side Image St Suffix: Post Dir. City/Town Zip Code Zip Code Image St Suffix: St Suffix:

FRANK GUCCIARDO H 565 3733 C 476 1902

-



Prints the screen





States and



89826	11240	JUANE J
	0.01	ZUIDS
Lung	1 his	n sos
. TOOM	irans	Amer

Hameropo bes BANK & BANK

4000 # J25- 7754

MUMPL LEEL LOSS JURGEN MALL

9:62:61 61-02-6			Drints the streen
	ر ال not "USA"Bar Cd. Ownership e.g. Life Use OwnerType		
	il 2289- Clivition العامي التقامين الت	Po Box No:	(s)Imviqini () noiteuleV ()
	Prefix Dir Street V Burlet Boute: St Sullix: Post Dir Unit/Jame:		6P18 〇 (s)pue기 〇 self([) ə개S 〇 근
	H semodT) \ əms/V issJ <u>UENVIS</u> V o T noinativ	si) Description (s) neage (s) neage
	stoletik piseta tuteminiki sapui teroola tutemini	A RESERVED I	⇒ Spec Dist(s)
	Bill Maiing Address 3rd Party Address Bank Discrete Lo Addi Second States and Party Market Discrete States	<u>O I Islo</u> T	 Parcel 5:1-5:22 Notes
	Size: 1.60 acres P.S.1 School Wallkill Central Cartes Construction Veryburgh Acres P.S.1 School Wallkill Central Size: 1.60 acres	КЮЛ	100 Mill Sf Mowalt, Thomas R 5-1-5.22
	<u>► ♥ ■ Λ ℝ ♥ ■ □ ■ ∅ ↓</u>) Cij 🛅 🖪 21^ 🕅 Jeqioot Maik JiP3 ali-







TOWN OF NEWBURGH RECREATION DEPARTMENT

311 ROUTE 32, NEWBURGH, NY 12550

Robert J. Petrillo Commissioner of Parks, Recreation & Conservation 845-564-7815 FAX: 845-564-7827

108

March 11, 2013

- TO: Wayne Booth, Supervisor Town Board Members
- FROM: Robert J. Petrillo, Commissioner
- RE: Trolley Request

We are submitting for your approval the attached letter from the New Windsor Parade Committee requesting the use of a trolley and one truck with driver for their Memorial Day Parade on Sunday, May 19th.

Thank you for your consideration.

Regards. Robert J. Petrillo Commissioner



NEW WINDSOR PARADE COMMITTEE

555 Union Avenue New Windsor, New York 12553 Telephone: (845) 563-4611



March 8, 2013

Mr. Robert Petrillo, Commissioner 311 Route 32 Newburgh, NY 12550

Dear Commissioner Petrillo:

The New Windsor Parade Committee respectfully requests the use of the Town of Newburgh Trolley for use in our Memorial Day Parade 2013 to transport participants who are unable to walk.

The Parade will be held on Sunday, May 19th; line up begins at 1:00 P.M. at the New Windsor Shopping Center (New Windsor Post Office), Route 94 with step off at 2:00 P.M. The Parade ends at New Windsor School.

In addition, we request a vehicle to pull the trolley and a driver.

Thank you in advance for your kind consideration; should you require further information please call me at (845) 563-4611.

Very truly yours, 1212 La Deroch Deborah Green

New Windsor Parade Committee

/dg

We Remember Those Who Gave Their Lives So That We May Remain Free

11. PLANNING BOARD: Parke Lane Recreational Fees

•

ŕ

DRA FIDELCO NEWBURGH, LLC

March 20, 2013

Mr. Wayne Booth Town Supervisor Town of Newburgh 308 Gardnertown Road Newburgh, New York 12550

Re: Parke Lane at Newburgh (Project # 2012 – 13) Recreation Fees – Progressive Payments

Dear Supervisor Booth:

As you know, the Parke Lane at Newburgh multifamily project was granted conditional final site plan approval by the Town Planning Board on December 6, 2012. One of the requirements under this approval was the payment of a recreational impact fee pursuant to local law in the amount of \$320,000 and payable before the final site plan is signed by the Board.

As Parke Lane advances steadily toward site development and construction, we thought this would be an appropriate time to suggest an alternative arrangement for the payment of the recreation fee. Rather than advance the considerable lump sum of \$320,000 prior to the start of site development, we would propose a schedule requiring an initial ten percent payment – or 32,000 – followed by a pro-rata payment of \$24,000 at the time of the building permit application for each of the twelve residential structures. Given the size and complexity of the project, we believe this is an equitable accommodation. It certainly protects the Town by ensuring that payments are made as the impacts to the municipal park system can be expected to occur.

I trust you will find our suggestion reasonable, particularly against the back-drop of the significant investment we are making to the Town and the surrounding region. If you have any questions, please do not hesitate to contact me.

Sincerely,

Charles H. Tint

Cc: Mark C. Taylor, Esq.

12. ENGINEERING: Chadwick Lake Filter Plant Manganese Treatment

,

MAR 2 7 2013

12

TOWN OF NEWBURGH TOWN ENGINEER 1496 Rte. 300 Newburgh, NY 12550 (845) 564-7814

MEMORANDUM

FROM: James W. Osborne, Town Engineer

DATE: March 20, 2013

RE:

W \ CHADWICK LAKE FILTER PLANT – MANGANESE TREATMENT PLANT

Attached for your information is the Project Worksheet (PW) written by FEMA for the above project. This is a large project (> \$69,300) and therefore, expenses are reimbursable after the Town has incurred the costs. The cost basis for the PW was the original Change Order submitted by DiLorenzo Contracting approximately a year ago plus some allowance for administrative costs, i.e. engineering / construction observation. These costs will need to be updated and could be different (higher).

Given the above and the fact that the original contract is still open, I am requesting Town Board authorization to update the Change Order and begin this work. I will present the updated Change Order to the Board for approval upon receipt from the Contractor.

If you have any questions or comments, I am available to discuss them with you.

JWO/id Attachment

- cc: J. Platt, DPW Comm.
 - J. Egitto J. Guido, CAMO
 - J. Calarco, Accountant
 - R. Gell, O'Brien & Gere

MAR 2 1 2013

		•				
FEMA Form \$0:\$1, DEO 03		DEPARTMENT OF HOME				
,					•	
	and the second	ROJECT WOR				
Public reporting burden for this form is maintain, disclose, or to provide informa burden to: information Collections Man Paperwork Reduction Project (OMB Cor right corner of this form, NOTE: Do not s	estimated to average 90 minuti- ation to us. You may send com- agement, U.S. Department of H trol Number 1660-0017). You a	es per response, Burden menis regarding the burd Homeland Security, Fede are not regulted to respon	means the time, effort en estimate or any asp at Emergency Manage	ect of the co ment Agency	llection, including sugg 1. 500 C Street, SW, V	estions for reducing the Nashington, DC 20472.
DECLARATION NO,	PW REF NO.	DATE	FIPS N		CATEGORY	EMMIE NO.
FEMA 4020 DR NY	5004525	03/07/13	071-5004	5.00	F	
APPLICANT					DATE:	PLETED AS OF:
Town of Newburgh	•			-	03/07/13	0%
DAMAGED FACILITY	· · · · · · · · · · · · · · · · · · ·	•			COUNTY	
Chadwick Lake Water Treatme	int Plant				Orange	·
LOCATION					LATITUDE	LONGITUDE
Rt 32 at Chadwick Lake					41.55619	-74,06432
Was this site previously damage	d? CYes PNO C	Unsure				
facility, is the Town water supply, grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource.	, and the treatment plant p e metal insulated building anese and each within an ilon systems and include l	with process piping area of containment internal distribution h	ation for approxima and three circular v of 418 square feet. eaders, collection t	ately 22,00 /essels, ea . The heav laterals, an	0 residents. The fa ch containing spec y contaminants inu d automated contr	acility is a slab on plaity media for indated the of valves, chlorine
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project the date this project in 2010-2011 and went o cation vessels are highly and backwashing the uni as it is necessary to prop with backwash) at an appr oace issues while using the	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 75 pulle approximately specialized and the of its. Usage of this hig berly venillate the fac roved Hazardous Wa he acid. To follow the	ation for approxima and three circular v of 418 square feet. eaders, collection t s facility is not oper s facility is not oper % four months prior to only method availat hily caustic mineral ility, provide persor ste site. Additional a aforementioned re	ately 22,00 /essels, ea . The heav aterals, an rational an of the decla ble for clea acid requin tal protecti ly, personr epair meth	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co	acility is a slab on plaity media for indated the of valves, chlorine tillizing another d in the damage rized vessels is t Environmental d, truck, and c within the
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project the date this project in 2010-2011 and went o cation vessels are highly and backwashing the uni as it is necessary to prop with backwash) at an appr oace issues while using the	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 pulle approximately specialized and the o lits. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not oper s facility is not oper % four months prior to only method availat hily caustic mineral ility, provide persor ste site. Additional e aforementioned re stimated cost of \$t	ately 22,00 /essels, ea . The heav aterals, an rational an of the decla ble for clea acid requin tal protecti ly, personr epair meth	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co	acility is a slab on plaity media for indated the of valves, chlorine tillizing another d in the damage rized vessels is t Environmental d, truck, and c within the
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifi remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet.	, and the treatment plant p a metal insulated building inese and each within an ilon systems and include i . As of the date this project in 2010-2011 and went of cation vessels are highly a l and backwashing the uni- as it is necessary to prop- vith backwash) at an appr- pace issues while using the throi Vendors, and only on NARRATIVE	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 75 pulle approximately specialized and the of its. Usage of this hig berly venillate the fac roved Hazardous Wa he acid. To follow the	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not oper s facility is not oper % four months prior to only method availat hily caustic mineral ility, provide persor ste site. Additional e aforementioned re stimated cost of \$t	ately 22,00 /essels, ea . The heav aterals, an rational an of the decla ble for clea acid requin tal protecti ly, personr epair meth	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co	acility is a slab on plaity media for indated the of valves, chlorine itilizing another d in the damage rized vessels is d Environmental d, truck, and k within the pontacted several COST
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was consiructed new description the pressurized purifi remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid see Continuation Sheet. <u>ITEM CODE</u> WORK TO BE CODE	, and the treatment plant p a metal insulated building inese and each within an ilon systems and include i . As of the date this project in 2010-2011 and went of cation vessels are highly a l and backwashing the uni- as it is necessary to prop- vith backwash) at an appr- pace issues while using the throi Vendors, and only on NARRATIVE	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 pulle approximately specialized and the o lits. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e	ation for approxima and three circular v of 418 square feet, eaders, collection f s facility is not oper % four months prior to only method availat hily caustic mineral lilly, provide persor ste site. Additional e aforementioned re stimated cost of \$t ST	ately 22,00 /essels, ea . The heav aterals, an rational an of the decla ble for clea acid requinal protecti ly, personr epair meth 31,360,00 f	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar tel required to work od the applicant co was received.	acility is a slab on plaity media for indated the of valves, chlorine itilizing another d in the damage rized vessels is t Environmental d, truck, and c within the pontacted several COST \$
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifi remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet.	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a land backwashing the unit as it is necessary to prop with backwash) at an appr pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 police approximately specialized and the o its. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not oper % four months prior to only method availat hily caustic mineral ility, provide persor ste site. Additional e aforementioned re stimated cost of \$t ST QUANTITY	ately 22,00 /essels, ea . The heav aterals, an rational an rational an isological and ble for clea acid reguli nal protecti ly, personr epair meth 31,360,00 v	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loan tel required to work od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine tillizing another d in the damage rized vessels is it Environmental d, truck, and c within the ontacted several COST \$ 115,464.00 \$ 1,312.00
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a land backwashing the unit as it is necessary to prop with backwash) at an appr pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 pulle approximately specialized and the o lits. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not open % four months prior to only method availat hily caustic mineral hily caustic mineral hily caustic mineral ste site. Additional p aforementioned re stimated cost of \$t ST QUANTITY 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an ble for clea acid requinal portecti ly, personr epair mether 31,360,00 methods UNIT	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is i Environmental d, truck, and c within the intacted several COST \$ 115,454.00 \$ 1,312,00 \$ - \$ -
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a land backwashing the unit as it is necessary to prop with backwash) at an appr pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 police approximately specialized and the o its. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not open % four months prior to only method availat hily caustic mineral hily caustic mineral hily caustic mineral ste site. Additional p aforementioned re stimated cost of \$t ST QUANTITY 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an ble for clea acid requinal portecti ly, personr epair mether 31,360,00 methods UNIT	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is i Environmental d, truck, and c within the intacted several COST \$ 115,454.00 \$ -\$
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a land backwashing the unit as it is necessary to prop with backwash) at an appr pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 police approximately specialized and the o its. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not open % four months prior to only method availat hily caustic mineral hily caustic mineral hily caustic mineral ste site. Additional p aforementioned re stimated cost of \$t ST QUANTITY 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an ble for clea acid requinal portecti ly, personr epair mether 31,360,00 methods UNIT	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is it Environmental d, truck, and c within the infacted several COST \$ \$ 115,454.00 \$ \$ _ \$ \$ _ \$ \$ _ \$ \$ _ \$ _
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a land backwashing the unit as it is necessary to prop with backwash) at an appr pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 police approximately specialized and the o its. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not open % four months prior to only method availat hily caustic mineral hily caustic mineral hily caustic mineral ste site. Additional p aforementioned re stimated cost of \$t ST QUANTITY 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an ble for clea acid requinal portecti ly, personr epair mether 31,360,00 methods UNIT	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is it Environmental d, truck, and c within the infacted several COST \$ - \$ 115,454.00 \$ - \$ - \$ \$ -
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a solution vessels are highly solution and backwashing the unit as it is necessary to propivith backwash) at an appri- pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment Intérnal distribution h ct was developed, thi Fund at 76 police approximately specialized and the o its. Usage of this hig perly ventilate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not open % four months prior to only method availat hily caustic mineral hily caustic mineral hily caustic mineral ste site. Additional p aforementioned re stimated cost of \$t ST QUANTITY 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an ble for clea acid requinal portecti ly, personr epair mether 31,360,00 methods UNIT	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loa lei required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is it Environmental d, truck, and c within the infacted several COST \$ -
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a solution vessels are highly solution and backwashing the unit as it is necessary to propivith backwash) at an appri- pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment internal distribution h ct was developed, thi Fund at 76 police approximately specialized and the of its. Usage of this hig berly venillate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet. eaders, collection f s facility is not open % four months prior to only method availat hily caustic mineral hily caustic mineral hily caustic mineral ste site. Additional p aforementioned re stimated cost of \$t ST QUANTITY 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an be the decla ble for clea acid requinal protecti ly, personrepair mether 31,360,00 versions UNIT LS LS CONTINU	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, load tel required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is it Environmental d, truck, and c within the infacted several COST \$ - \$ 115,454.00 \$ -
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (v vessels are subject to confined s Environmental and Pollution Cor See Continuation Sheet. <u>ITEM CODE</u> <u>WORK TO BE CODE</u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a solution vessels are highly solution and backwashing the unit as it is necessary to propivith backwash) at an appri- pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment internal distribution h ct was developed, thi Fund at 76 police approximately specialized and the of its. Usage of this hig berly venillate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet, eaders, collection f s facility is not oper % four months prior to only method availat hily caustic mineral lilly, provide persor ste site, Additional e aforementioned re- stimated cost of \$t ST QUANTITY 1.00 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an be the decla ble for clea acid requinal protecti ly, personrepair mether 31,360,00 versions UNIT LS LS CONTINU	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, load tel required to worl od the applicant co was received.	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage fized vessels is if Environmental d, truck, and c within the infacted several COST \$ - \$ 115,454.00 \$ -
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (vessels are subject to confined s Environmental and Pollution Con- See Continuation Sheet. <u>ITEM CODE</u> <u>9000 CEF</u> <u>9001 Direct Administration <u>9000 CEF</u> <u>9001 Direct Administration</u> <u>9000 CEF</u> <u>9000 CEF</u></u>	and the treatment plant part of the metal insulated building unese and each within an ilon systems and include I . As of the date this project As of the date this project and backwashing the unit as it is necessary to propylith backwash) at an appr pace issues while using it itro! Vendors, and only on NARRATIVE COMPLETED atilve Costs	provides water purific with process piping area of containment internal distribution h ct was developed, thi Fund at 76 police approximately specialized and the of its. Usage of this hig berly venillate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet, eaders, collection i s facility is not open % four months prior to only method availat hily caustic mineral lilty, provide persor ste site. Additional p aforementioned re istimated cost of \$t ST QUANTITY 1.00 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an be the decla ble for clea acid requinal protecti ly, personrepair mether 31,360,00 versions UNIT LS LS CONTINU	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar lei required to worl od the applicant co was received, UNIT PRICE \$115,454.00 \$1,312.00 \$1,312.00 \$1,700 PAGE(S) PROJECT COST	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is it Environmental d, truck, and c within the infacted several COST \$ - \$ 115,454.00 \$ -
grade, 65 feet long x 34 foot wide water filtration of iron and mange vessels which are pressure filtrat is also utilized within the vessels water purification resource. <u>SCOPE OF WORK:</u> WORK TO BE COMPLETED: This facility was constructed new description the pressurized purifit remediation with phosphoric acid and Pollution Control Contractor, dispose of the phosphoric acid (vessels are subject to confined s Environmental and Pollution Corr See Continuation Sheet. <u>ITEM CODE</u> <u>9000 CEF</u> <u>9001 Direct Administration <u>9000 CEF</u> <u>9001 Direct Administration</u> <u>9000 CEF</u> <u>9000 CEF</u> <u>9001 Direct Administration</u> <u>9000 CEF</u> <u>9001 Direct Administration</u> <u>9000 CEF</u> <u>9000 CEF</u></u>	, and the treatment plant p e metal insulated building inese and each within an ilon systems and include i . As of the date this project a solution vessels are highly solution and backwashing the unit as it is necessary to propivith backwash) at an appri- pace issues while using the throi Vendors, and only on NARRATIVE COMPLETED	provides water purific with process piping area of containment internal distribution h ct was developed, thi Fund at 76 police approximately specialized and the of its. Usage of this hig berly venillate the fac roved Hazardous Wa he acid. To follow the response with an e PROJECT CO	ation for approxima and three circular v of 418 square feet, eaders, collection i s facility is not open % four months prior to only method availat hily caustic mineral lilty, provide persor ste site. Additional p aforementioned re istimated cost of \$t ST QUANTITY 1.00 1.00	ately 22,00 vessels, ea . The heav aterals, an rational an interals, an rational an ble for clea acid requinal protecti ly, personr epair mether 31,360,00 version UNIT LS LS CONTINU TOTAL Project Spece	0 residents. The fa ch containing spec y contaminants int d automated contr d the applicant is u red event. As note ning of the pressu res an experienced ve equipment, loar tel required to worl od the applicant co was received. UNIT PRICE \$115,454.00 \$1,312.00 \$1,312.00 \$1,312.00	acility is a slab on plaity media for indated the ol valves, chlorine itilizing another d in the damage rized vessels is it Environmental d, truck, and c within the infacted several COST \$ - \$ 115,454.00 \$ -

DATA PROCESSING: 13.

Purchase of Computer Maintenance Time Copier – Town Clerk's Office А.

ş

В.

13B. Copier – Town Clerk Office

No information available at this time.

.

MAR 2 7 2013

March 27th 2013 Audit Meeting

Data Processing

1. Purchase of 37.5 hours from Firthcliffe Technologies @ \$ 80.00 per hour for a total of \$ 3000.00 from the computer maintenance account 001168-0497

138

The balance in the computer maintenance account before these purchases is \$ 41,540.00

2. E-waste

	TOWN OF	NEWBURGH		Order No.			·	
	1496 ROUTE 300			DO NOT WRITE IN THIS BOX				
	NEWBURGH	. N.Y. 12550	550		4			
	VOUC	HFR	· . ·	FUND - APPRO	PRIATION	AHOUNT		
	V000				;	_	VOUCH ER	
	Town H	all						
DEPARTMENT	10011 12						R NO	
•	Tr16.1. (fg-	Technologies, In	C. 7				·	
	198 Willow A		.					
NAME	148 11100 1			Y.	TOTAL			
AND ADDRESS	Cornwall. nu	112518		Abstract No.				
· · · · · · ·				Vendor's Ref. No.				
TERMS	Quantity	Description of	Materials or Se	ervice #		Unit Price	Amount 3000 00	
Dates	1	Maintenan	CE A	greement		3000 00	300000	
2/25/13						•		
		1	•					
	•	•			•			
			•		•			
4					•			
	•	• • • • • • • • • • • • • • • • • • •						
	•							
			•	.	•	•		
					i di sena di s Sena di sena di		1 4	
				*				
				Į.				
		(See Instructions	- Deverse Sl	de)		TOTAL	300000	
						-	an thair An Angelan thair	
					in the amount	ors 3000	0.00	
1,	Ida. K Lewis	ervices and disbursements char	rged were rende	red to or for the municipo	ility on the date	es stated; that no lue.	part has been pair	
or satisfie	od; that taxes, from which t	ervices and disbursements char the municipality is exempt, are	not included; a	nd that the amount crem		en en el composition de la composition Composition de la composition de la comp		
		\cap \cap	^ ^ ·	ρ	reside	nt		
3/1	2113	- fina beie	SNATURE	<u>F</u> _	reorae	TITLE		
	DATE		Below for Mu	nteinal (158)				
		(Spac	BEIDH IGI RU		PPROVAL FO	RPAYMENT		
				This claim is approved	ang in the second		riations indicated	
	DEPARTME	NT APPROVAL		above.				
	د این از ۲۰ (۲۰۱۰) ۱۹۹۹ - ۲۰۰۱ (۲۰۰۰) ۱۹۹۹ - ۲۰۰۱ (۲۰۰۰)	1- ware readered or furnished to	,					
the r rect.		stated and the charge's are cor-					i gʻi titili	
rwG1.							and a second second Second second second Second second	
DAT	<u> </u>	AUTHORIZED OFFICIAL				. · · · ·		
				DATE		AUDIT	ING BOARD	

14. POSSIBILITY OF EXECUTIVE SESSION: Town of Newburgh Consolidates Water District Consent Fee