


- LEGEND:**
- UP --- UTILITY POLE WITH OVERHEAD WIRES
 - CB ■ CATCH BASIN
 - TH - TEST HOLE/PERCOLATION HOLE LOCATION
 - T - TEST TANK
 - D - DROPPED BOX
 - S - SILT FENCE
 - S - STABILIZED CONSTRUCTION ENTRANCE
 - B - BUILDABLE AREA BOUNDARY



ZONE R3


REGULATION	MIN. REQUIRED	MIN. PROPOSED	LOT NO. 1	LOT NO. 2
LOT AREA	40,000 SF	73,510 SF +/-	84,768 SF +/-	84,768 SF +/-
LOT DEPTH	150 FT.	103 FT. +/-	332 FT. +/-	103 FT. +/-
FRONT YARD	50 FT.	71 FT. +/-	108 FT. +/-	40 FT. +/-
REAR YARD	40 FT.	63 FT. +/-	108 FT. +/-	40 FT. +/-
ONE SIDE YARD	30 FT.	35 FT. +/-	134 FT. +/-	91 FT. +/-
BOTH SIDE YARDS	80 FT.	80 FT.		

BUILDABLE AREA

MIN. REQUIRED	MIN. PROVIDED	MIN. PROVIDED
10,000 SQ. FT.	13,360 SQ. FT. +/-	19,800 SQ. FT. +/-

SDS DESIGN BASIS

LOT NO. 2	2	3
NO. OF BEDROOMS	220	330
DAILY FLOW (GPD)	1000	1000
SEPTIC TANK CAPACITY (GAL)	1000	1000
DESIGN PERCOLATION RATE (MIN./IN.)	21-30	21-30
ABSORPTION TRENCH (ELEN GSF B43 MODULES)	61	92
ABSORPTION TRENCH (ELEN GSF B43 MODULES)	64	96
ABSORPTION TRENCH (ELEN GSF B43 MODULES)	2 LOTS @ 32 LF EACH	2 LOTS @ 32 LF EACH
TYPE OF SYSTEM	ELEN GSF B43	ELEN GSF B43



NOTES:

- TOTAL PARCEL AREA = 4.52 AC. +/-
- OWNER AND APPLICANT: ELAPUS, LTD
260 BINGHAM ROAD
MARLBORO, NY 12542
- TAX MAP DATA: SECTION 9 BLOCK 3 LOT 70.5
- LOT NO. 1 AND LOT NO. 2 SHALL HAVE THE RIGHTS OF INGRESS AND EGRESS AS WELL AS THE RIGHTS OF UTILITY UTILITIES OVER THE 80-FOOT WIDE RIGHT-OF-WAY AND PRIVATE ROAD KNOWN AS BRIGHT STAR DRIVE. AN APPROPRIATE RIGHT-OF-WAY, ROAD MAINTENANCE AND LIABILITY AGREEMENT SHALL BE FILED WITH THE COUNTY CLERK'S OFFICE ON A MAP ENTITLED "SURVEYOR'S PLAN LANDS OF ELAPUS, LTD. - DATED DECEMBER 4, 2003, LAST REVISED AUGUST 16, 2005 AND FILED IN THE COUNTY CLERK'S OFFICE NOVEMBER 2, 2005 AS MAP NO. 833-05.
- COUNTY CLERK'S OFFICE NOVEMBER 2, 2005 AS MAP NO. 833-05.
- COUNTY CLERK'S OFFICE NOVEMBER 2, 2005 AS MAP NO. 833-05.

SOIL EROSION AND SEDIMENT CONTROL NOTES:

- ALL WORK TO BE DONE IN ACCORDANCE WITH STANDARDS SET FORTH IN NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL, LATEST EDITION, PREPARED BY THE SOIL CONSERVATION SERVICE.
- THE SMALLEST PRACTICAL AREA OF LAND IS TO BE EXPOSED AT ANY ONE TIME DURING THE DEVELOPMENT OF THE PARCEL. ONLY THOSE AREAS NECESSARY IN THE DEVELOPMENT OF THE PARCEL SHALL BE DISTURBED WHENEVER FEASIBLE. THE NATURAL VEGETATION IN ALL OTHER AREAS SHALL BE PROTECTED AND RETAINED.
- SOIL EXPOSURE SHALL BE LIMITED TO LESS THAN ONE ACRE.
- ALL SOIL EROSION AND SEDIMENT CONTROL PRACTICES ARE TO BE INSTALLED PRIOR TO ANY MAJOR SOIL DISTURBANCE. THE CONTRACTOR IS RESPONSIBLE FOR MAINTAINING ALL PERMANENT EROSION AND SEDIMENT CONTROL MEASURES DURING CONSTRUCTION. THE PROPERTY OWNER WILL ASSUME THIS RESPONSIBILITY AFTER CONSTRUCTION IS COMPLETED AND CERTIFICATES OF OCCUPANCY ARE ISSUED.
- ALL EXCAVATED EARTH AND ACCUMULATED SEDIMENT NOT USED AS FILL SHALL BE HAULED OFF SITE AND DISPOSED OF PROPERLY.
- INITIAL CLEARING AND EARTH DISTURBANCE SHALL BE LIMITED TO THAT NECESSARY TO INSTALL SEDIMENT CONTROL MEASURES AND TO PREVENT EROSION AND SEDIMENTATION. DISTURBANCE SHALL ONLY TAKE PLACE AFTER SEDIMENT AND EROSION CONTROL MEASURES ARE INSTALLED.
- THE PERMANENT DRIVEWAY OR ENTRANCE LOCATION SHALL BE USED AS A STABILIZED CONSTRUCTION ENTRANCE. ALL VEHICULAR TRAFFIC ONTO THE SITE SHALL USE THIS STABILIZED CONSTRUCTION ENTRANCE. TWO-INCH STONE SHALL BE PLACED AT A MINIMUM 6 INCH DEPTH, 30 FEET LONG AND 12 FEET WIDE. THE ENTRANCE SHALL BE MAINTAINED OPEN AT ALL TIMES. SEDIMENT TRACKED ONTO PUBLIC ROADS MUST BE REMOVED OR CLEANED ON A DAILY BASIS.
- AT ANY LOCATION WHERE SURFACE RUNOFF FROM DISTURBED OR GRADED AREAS MAY FLOW OFF THE CONSTRUCTION AREA, SEDIMENT CONTROL MEASURES MUST BE INSTALLED, INCLUDING A SILT FENCE OR STRIP CURBS. TO PREVENT SEDIMENT FROM BEING TRANSPORTED TO ADJACENT AREAS, THESE LOCATIONS SHALL BE MAINTAINED OPEN AT ALL TIMES. NO GRASSING, FILLING OR OTHER MEASURES SHALL BE USED TO PREVENT SEDIMENT FROM BEING TRANSPORTED TO ADJACENT AREAS.
- ALL MATERIALS ORIGINATING FROM THE DEVELOPMENT OF THE LOT SHALL BE REMOVED IMMEDIATELY TO AN ACCEPTABLE DISPOSAL FACILITY. NO CONSTRUCTION DEBRIS SHALL BE BURIED ON SITE. ALL LOOSE MATERIALS SHALL BE REGULARLY COLLECTED TO PREVENT THE RELEASE OF FLOATABLES DURING STORM EVENTS.
- FOULING/INITIAL SOIL DISTURBANCE AND REDISTURBANCE, PERMANENT OR TEMPORARY STABILIZATION SHALL BE COMPLETED WITHIN:
 - SEVEN CALENDAR DAYS FROM THE TIME THAT THE SOIL IS INITIALLY DISTURBED, AND BEFORE ANY SIGNIFICANT STORM EVENT WHICH MAY HAVE A POTENTIAL TO CAUSE EROSION, BUT NOT TO EXCEED SEVEN DAYS FROM INITIAL DISTURBANCE.
 - FOURTEEN CALENDAR DAYS FOR ALL APPROVED STOCK PILES AND OTHER DISTURBED AND GRADED AREAS PROVIDED CONSTRUCTION IS CONTINUING. CONSTRUCTION SHALL BE STOPPED FOR THESE LOCATIONS UNTIL THE SOIL IS STABILIZED AND PROTECTED FROM EROSION AND SEDIMENTATION.
 - MULCH SHALL BE USED AS NECESSARY FOR PROTECTION UNTIL PERMANENT VEGETATION IS ESTABLISHED.
 - SEEDING AND MULCHING SHALL BE DONE IN ACCORDANCE WITH THE STANDARDS SET FORTH IN NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL, LATEST EDITION, PREPARED BY THE USDA SOIL CONSERVATION SERVICE.
- MAINTENANCE:
 - ALL SEDIMENT CONTROL MEASURES ARE TO BE PERIODICALLY INSPECTED, MAINTAINED AND REPAIRED WHEN THEY BECOME UNDESIRABLE. INSPECTIONS ARE TO BE DONE IN ACCORDANCE WITH THE STANDARDS SET FORTH IN NEW YORK STATE STANDARDS AND SPECIFICATIONS FOR EROSION AND SEDIMENT CONTROL, LATEST EDITION, PREPARED BY THE USDA SOIL CONSERVATION SERVICE.
 - SEDIMENT TO BE REMOVED FROM THE SILT FENCE WHEN THE DEPTH OF SEDIMENT IS 1/3 THE HEIGHT OF THE BARRIER. THE SILT FENCE SHOULD BE CHECKED FOR AREAS WHERE RUNOFF MIGHT HAVE EXCEEDED THE BARRIER. THE SILT FENCE SHOULD BE REMOVED OR REPAIRED AS NEEDED AFTER THE BARRIER IS FULLY OPERATIONAL.
 - INSPECT MULCHED AREAS FOR AREAS WHERE THE MULCH HAS BEEN LOOSENED OR REMOVED, AND REPLACE AS NEEDED. REMOVE ANY ANCHORING WHEN IT IS NO LONGER NEEDED AND DISPOSE OF IT PROPERLY.
 - INSPECT SEEDED AREAS TO SEE IF GOOD GROWTH IS BEING ESTABLISHED, AND RESEED AS NEEDED.
 - APPLY ADDITIONAL STONE AND CLEAN ROWWAY AS NEEDED.

COUNTY CERTIFICATION:

THE PROPOSED SEWAGE DISPOSAL SYSTEM AND WATER SUPPLY SYSTEM SHOWN HEREON IS IN ACCORDANCE WITH THE STANDARDS AND REGULATIONS OF THE NEW YORK STATE DEPARTMENT OF ENVIRONMENTAL CONSERVATION FOR RESIDENTIAL LOTS. THE DESIGN IS BASED UPON ACTUAL SOIL AND SITE CONDITIONS FOUND UPON THE LOT AT THE DESIGN LOCATION AT THE TIME OF DESIGN.

TOWN CERTIFICATION:

I HEREBY CERTIFY TO THE TOWN OF NEWBURGH THAT THE SEWAGE DISPOSAL SYSTEM DEPICTED ON THIS PLAN HAS BEEN DESIGNED IN ACCORDANCE WITH THE NEW YORK STATE PUBLIC HEALTH LAW AND ALL REGULATIONS PROMULGATED THEREUNDER.

SURVEYORS CERTIFICATION

I HEREBY CERTIFY TO THE PARTIES LISTED BELOW THAT THIS MAP SHOWS THE RESULTS OF AN ACTUAL FIELD SURVEY COMPLETED ON JULY 29, 2003 AND UPDATED DECEMBER 18, 2012.

TOWN OF NEWBURGH PLANNING BOARD
ELAPUS, LTD.

OWNERS ENDORSEMENT:

I, THE UNDERSIGNED, HAVE REVIEWED THE CONTENTS OF THIS MAP AND CONCUR WITH ALL TERMS AND CONDITIONS AS STATED HEREON, AND TO THE FILING OF THIS MAP.

EXIST. WELL
MAGARVEY
SIBL 9-3-45.1

DATE	REVISION

SHEET 1 OF 2 IS INVALID UNLESS ACCOMPANIED BY SHEET 2 OF 2.

SUBDIVISION PLAN
LANDS OF
ELAPUS, LTD.

BRIGHT STAR DRIVE, TOWN OF NEWBURGH
ORANGE COUNTY, NEW YORK
DATE: JANUARY 21, 2013 SCALE: 1 IN. = 50 FT.

PREPARED BY:
VINCENT J. DOCE ASSOCIATES
SURVEYORS - ENGINEERS - PLANNERS
242 SOUTH PLANK ROAD, NEWBURGH, NY 12550
TEL. 945 561-1170 FAX 945 561-7738

SHEET 1 OF 2

UNAUTHORIZED ALTERATION OR ADDITION TO A MAP BEARING A LICENSED PROFESSIONAL'S SEAL IS A VIOLATION OF SECTION 220(2) OF THE NEW YORK STATE EDUCATION LAW.

VINCENT J. DOCE ASSOCIATES

ENGINEERS ~ SURVEYORS ~ PLANNERS
PROJECT CONSULTANTS - LAND CONSULTANTS
242 SOUTH PLANK ROAD, NEWBURGH, NEW YORK 12550
TEL. 845-561-1170 ~ FAX 845-561-7738

February 5, 2013

John P. Ewasutyn, Chairman
Town of Newburgh Planning Board
308 Gardnertown Road
Newburgh, NY 12550

RE: Subdivision Plan Lands of Elapus Ltd.
Bright Star Drive (Private Drive off of Oak Street)
Town of Newburgh Tax Parcels: Section 9 Block 3 Lot 70.5
Town Project No. 2013- 02

Dear Mr. Ewasutyn:





Enclosed are 14 sets of the above referenced subdivision plan, 14 copies of the Long Form EAF, a subdivision application and the required fees (\$550.00 application fee, \$150.00 public hearing fee and \$2000.00 escrow fee).

The applicant proposes a two-lot residential subdivision of a 4.52 acre +/- parcel located on Bright Star Drive, which is an existing private road located off of Oak Street. The parcel is located in the R3 Zoning District, the Marlboro School District and the Middlehope Fire District. The parcel is not located within a sewer or water district. This lot is designated as Lot No. 5 of a previously approved subdivision entitled "Subdivision Plan lands of Elapus Ltd.," filed in the Orange County Clerk's office on November 2, 2005 as Map No. 833-05. The lot contains an existing single-family home serviced by an individual well and sanitary disposal system. The newly created lot will also contain a single-family home with a private well and sanitary disposal system. The lots will be 2.57 acres and 1.95 acres in size and meet all Town of Newburgh Zoning bulk lot requirements.

If any further explanation is required, please feel free to contact our office.



Respectfully,

Darren C. Doce




SANITARY FACILITIES NOTES:

1. THE DESIGN AND LOCATION OF SANITARY FACILITIES (WATER AND SEWER SYSTEMS) SHALL NOT BE CHANGED. THIS DESIGN AND CONSTRUCTION REQUIREMENT COMPLIES WITH APPENDIX 75.4 AND LOCAL HEALTH DEPARTMENT REGULATIONS.
2. ALL WORK DONE IN THE CONSTRUCTION OF THE SANITARY FACILITIES IS TO BE DONE UNDER THE SUPERVISION AND APPROVAL OF A NY LICENSED PROFESSIONAL ENGINEER.
3. ALL MATERIALS USED IN THE CONSTRUCTION OF THE SANITARY FACILITIES ARE TO BE APPROVED BY A LICENSED PROFESSIONAL ENGINEER HAVING JURISDICTION AND THE SUPERVISING NY LICENSED PROFESSIONAL ENGINEER.
4. THE CONTRACTOR SHALL ENSURE INSTALLATION AS PER SPECIFICATIONS.
5. PRIOR TO THE ISSUANCE OF A CERTIFICATE OF OCCUPANCY FOR ANY SEWER DISPOSAL SYSTEM, THE TOWN OF NEWBURGH BUILDING INSPECTOR MUST RECEIVE AN "AS-BUILT" PLAN FOR SUCH SYSTEM IDENTIFIED BY A NY LICENSED PROFESSIONAL ENGINEER AS SET FORTH IN ARTICLE IV OF APPENDIX 1 SECTION 4 OF THE TOWN OF NEWBURGH MUNICIPAL CODE.
6. THE CONTRACTOR SHALL CONTACT THE NY LICENSED PROFESSIONAL ENGINEER PRIOR TO THE CONSTRUCTION OF THE SANITARY FACILITIES TO MAKE ARRANGEMENTS FOR INSPECTIONS AND TESTING EQUIPMENT SHALL BE KEPT OFF OF THE ABSORPTION FIELD AREA EXCEPT DURING ACTUAL CONSTRUCTION. THERE SHALL BE NO UNNECESSARY MOVEMENT OF CONSTRUCTION EQUIPMENT UNDER CONSTRUCTION AREA BEFORE DURING OR AFTER CONSTRUCTION SO AS TO AVOID ANY WHICH THE DESIGN WAS BASED.
7. ABSORPTION TRENCHES SHALL NOT BE CONSTRUCTED IN FROZEN GROUND OR WET SOIL.
8. NO SWIMMING POOLS, DRIVEWAYS, PARKING AREAS OR STRUCTURES THAT MAY COMPACT THE SOIL SHALL BE LOCATED OVER OR WITHIN TEN FEET OF ANY PORTION OF THE ABSORPTION FIELD OR RESERVE AREA.
9. NO LOT OR CELLAR, ROOF OR FOOTING DRAINS TO DISCHARGE OVER THE ABSORPTION FIELD OR RESERVE AREA.
10. CEILING, ROOF FAN AND FOOTING DRAINS SHALL NOT BE CONNECTED TO THE SEWAGE DISPOSAL SYSTEM.
11. SURFACE WATER IS TO BE DIVERTED AWAY FROM THE ABSORPTION FIELD.
12. THERE SHALL BE NO REGRADING, EXCEPT AS SHOWN ON THE APPROVED PLANS, IN THE AREA OF THE ABSORPTION FIELD OR RESERVE AREA.
13. WATER SAVING PLUMBING FIXTURES SHALL BE USED.
14. THE SYSTEMS ARE NOT DESIGNED TO ACCOMMODATE GARAGE GRINDERS, JACUZZI TYPE SPA TUBS OVER 100 GALLONS OR WATER CONDITIONERS. AS SUCH, THESE ITEMS SHALL NOT BE INSTALLED UNLESS THE SYSTEM IS REDESIGNED TO ACCOMMODATE THEM AND REAPPROVED BY THE GOVERNMENT ENGINEER.
15. MECHANICAL EQUIPMENT SHALL BE INSTALLED HAVING THE FOLLOWING MINIMUM SIZES: 1/4" FT FROM THE BUILDING TO THE SEPTIC TANK, 1/8" FT FROM THE SEPTIC TANK TO THE POINT OF DISTRIBUTION, AND 1/8" FT TO 1/2" FT FOR LATERALS. DOSED LATERALS SHALL BE SET LEVEL.
16. THERE MUST BE AN UNINTERRUPTED POSITIVE SLOPE FROM THE SEPTIC TANK (OR ANY PLUMBING OR DRAINAGE CHAMBER) TO THE BUILDING, ALLOWING SEPTIC GASES TO DISCHARGE THROUGH THE STACK VENT.
17. THE SEPTIC TANK AND DISTRIBUTION BOX SHALL BE PRE-CAST CONCRETE.
18. 4" ID CAST IRON OR SCH 40 PVC PIPE SHALL BE USED BETWEEN THE BUILDING AND THE SEPTIC TANK. 4" ID SOLID TIGHT JOINT PVC SHALL BE USED BETWEEN THE SEPTIC TANK AND POINTS OF DISTRIBUTION. 4" ID LATERALS SHALL BE SOLID TIGHT PVC FOR A DISTANCE OF TWO FEET FROM THE DISTRIBUTION BOX.
19. IF A WELL IS UPGRADING OF AN ABSORPTION FIELD, THE SEPARATION BETWEEN THE WELL AND THE ABSORPTION FIELD SHALL BE 10 FEET MINIMUM. IF THE WELL IS DOWNGRADING AND IN THE GENERAL DRAINAGE PATH OF AN ABSORPTION FIELD, THE SEPARATION SHALL BE 20 FEET MINIMUM.
20. THE OWNER/APPLICANT SHALL BE PROVIDED WITH A COPY OF THE APPROVED PLANS AND AN ACCURATE "AS-BUILT" DRAWING OF ANY INSTALLED SANITARY FACILITIES.
21. THE SEPTIC TANK SHOULD BE INSPECTED PERIODICALLY TO ASSURE THAT IT IS LEVEL AND OPERATING PROPERLY.
22. THE DISTRIBUTION BOX SHOULD BE INSPECTED PERIODICALLY TO ASSURE THAT IT IS LEVEL AND OPERATING PROPERLY.
23. THE ELIJEN B43 GSF SYSTEM DESIGN COMPLIES WITH AND MUST BE INSTALLED IN ACCORDANCE WITH THE MOST CURRENT ELIJEN NEW YORK DESIGN AND INSTALLATION MANUAL.
24. AS THE NO. 200 SIEVE SHALL BE PLACED BELOW AND AROUND THE GSF MODULES, WITH 6" MINIMUM UNDERLATH AND 6" MINIMUM SURROUNDING THE GSF MODULES IN TRENCH CONFIGURATIONS.
25. USE ONLY THE ELIJEN SUPPLIED COVER FABRIC. COVER FABRIC SUBSTITUTION IS NOT ALLOWED. ELIJEN PROVIDED GEOTEXTILE COVER FABRIC SHALL PROVIDE PROPER TENSION AND ORIENTATION OF THE FABRIC AROUND THE SIDES OF THE PERFORATED PIPE ON TOP OF THE GSF MODULES. FABRIC SHALL BE NEITHER TOO LOOSE, NOR TOO TIGHT. THE CORRECT TENSION OF THE COVER FABRIC IS SET BY:
 - A. SPREADING THE COVER FABRIC OVER THE TOP OF THE MODULE AND DOWN BOTH SIDES OF THE PIPE.
 - B. PLACE SHOVEL FULLS OF SPECIFIED SAND DIRECTLY OVER THE PIPE AREA ALLOWING THE COVER FABRIC TO FORM A MOSTLY VERTICAL ORIENTATION ALONG THE SIDES OF THE PIPE. REPEAT THIS STEP MOVING DOWN THE PIPE.
 - C. BACKFILL MATERIAL SHALL BE CLEAN WITH NO ROOTS OR STONES LARGER THAN 2" IN ANY DIMENSION TO A MINIMUM DEPTH OF 8" OVER THE GSF MODULES AND FINAL COVER FOR VEGETATION OF 4" TO 6" OF CLEAN LOAM.
26. ANY SYSTEM WHICH IS MORE THAN 18" BELOW FINISHED GRADE AS MEASURED FROM THE TOP OF THE MODULE SHALL BE VENTED.



ELIJEN SYSTEM REQUIREMENTS FOR SPECIFIED SAND

SIEVE SIZE	SAND SPECIFICATION	SPECIFICATION
0.075"	9.5 mm	100.0 - 100.0
#4	4.75 mm	95.0 - 100.0
#10	2.0 mm	90.0 - 100.0
#20	0.85 mm	85.0 - 100.0
#40	0.425 mm	80.0 - 100.0
#60	0.25 mm	75.0 - 100.0
#100	0.15 mm	70.0 - 100.0
#200	0.075 mm	65.0 - 100.0
#300	0.5 mm	5.0 - 30.0
#400	0.375 mm	< 5.0



PERCOLATION TEST

DEEP TEST PIT DATA:

DATE: DECEMBER 14, 2012

TEST PIT NO. 2A

TEST PIT NO. 2B

TEST PIT NO. 2C

TEST PIT NO. 2D

TEST PIT NO. 2E

TEST PIT NO. 2F

TEST PIT NO. 2G

TEST PIT NO. 2H

TEST PIT NO. 2I

TEST PIT NO. 2J

TEST PIT NO. 2K

TEST PIT NO. 2L

TEST PIT NO. 2M

TEST PIT NO. 2N

TEST PIT NO. 2O

TEST PIT NO. 2P

TEST PIT NO. 2Q

TEST PIT NO. 2R

TEST PIT NO. 2S

TEST PIT NO. 2T

TEST PIT NO. 2U

TEST PIT NO. 2V

TEST PIT NO. 2W

TEST PIT NO. 2X

TEST PIT NO. 2Y

TEST PIT NO. 2Z

TEST PIT NO. 2AA

TEST PIT NO. 2AB

TEST PIT NO. 2AC

TEST PIT NO. 2AD

TEST PIT NO. 2AE

TEST PIT NO. 2AF

TEST PIT NO. 2AG

TEST PIT NO. 2AH

TEST PIT NO. 2AI

TEST PIT NO. 2AJ

TEST PIT NO. 2AK

TEST PIT NO. 2AL

TEST PIT NO. 2AM

TEST PIT NO. 2AN

TEST PIT NO. 2AO

TEST PIT NO. 2AP

TEST PIT NO. 2AQ

TEST PIT NO. 2AR

TEST PIT NO. 2AS

TEST PIT NO. 2AT

TEST PIT NO. 2AU

TEST PIT NO. 2AV

TEST PIT NO. 2AW

TEST PIT NO. 2AX

TEST PIT NO. 2AY

TEST PIT NO. 2AZ

TEST PIT NO. 2BA

TEST PIT NO. 2BB

TEST PIT NO. 2BC

TEST PIT NO. 2BD

TEST PIT NO. 2BE

TEST PIT NO. 2BF

TEST PIT NO. 2BG

TEST PIT NO. 2BH

TEST PIT NO. 2BI

TEST PIT NO. 2BJ

TEST PIT NO. 2BK

TEST PIT NO. 2BL

TEST PIT NO. 2BM

TEST PIT NO. 2BN

TEST PIT NO. 2BO

TEST PIT NO. 2BP

TEST PIT NO. 2BQ

TEST PIT NO. 2BR

TEST PIT NO. 2BS

TEST PIT NO. 2BT

TEST PIT NO. 2BU

TEST PIT NO. 2BV

TEST PIT NO. 2BW

TEST PIT NO. 2BX

TEST PIT NO. 2BY

TEST PIT NO. 2BZ

TEST PIT NO. 2CA

TEST PIT NO. 2CB

TEST PIT NO. 2CC

TEST PIT NO. 2CD

TEST PIT NO. 2CE

TEST PIT NO. 2CF

TEST PIT NO. 2CG

TEST PIT NO. 2CH

TEST PIT NO. 2CI

TEST PIT NO. 2CJ

TEST PIT NO. 2CK

TEST PIT NO. 2CL

TEST PIT NO. 2CM

TEST PIT NO. 2CN

TEST PIT NO. 2CO

TEST PIT NO. 2CP

TEST PIT NO. 2CQ

TEST PIT NO. 2CR

TEST PIT NO. 2CS

TEST PIT NO. 2CT

TEST PIT NO. 2CU

TEST PIT NO. 2CV

TEST PIT NO. 2CW

TEST PIT NO. 2CX

TEST PIT NO. 2CY

TEST PIT NO. 2CZ

TEST PIT NO. 2DA

TEST PIT NO. 2DB

TEST PIT NO. 2DC

TEST PIT NO. 2DD

TEST PIT NO. 2DE

TEST PIT NO. 2DF

TEST PIT NO. 2DG

TEST PIT NO. 2DH

TEST PIT NO. 2DI

TEST PIT NO. 2DJ

TEST PIT NO. 2DK

TEST PIT NO. 2DL

TEST PIT NO. 2DM

TEST PIT NO. 2DN

TEST PIT NO. 2DO

TEST PIT NO. 2DP

TEST PIT NO. 2DQ

TEST PIT NO. 2DR

TEST PIT NO. 2DS

TEST PIT NO. 2DT

TEST PIT NO. 2DU

TEST PIT NO. 2DV

TEST PIT NO. 2DW

TEST PIT NO. 2DX

TEST PIT NO. 2DY

TEST PIT NO. 2DZ

TEST PIT NO. 2EA

TEST PIT NO. 2EB

TEST PIT NO. 2EC

TEST PIT NO. 2ED

TEST PIT NO. 2EE

TEST PIT NO. 2EF

TEST PIT NO. 2EG

TEST PIT NO. 2EH

TEST PIT NO. 2EI

TEST PIT NO. 2EJ

TEST PIT NO. 2EK

TEST PIT NO. 2EL

TEST PIT NO. 2EM

TEST PIT NO. 2EN

TEST PIT NO. 2EO

TEST PIT NO. 2EP

TEST PIT NO. 2EQ

TEST PIT NO. 2ER

TEST PIT NO. 2ES

TEST PIT NO. 2ET

TEST PIT NO. 2EU

TEST PIT NO. 2EV

TEST PIT NO. 2EW

TEST PIT NO. 2EX

TEST PIT NO. 2EY

TEST PIT NO. 2EZ

TEST PIT NO. 2FA

TEST PIT NO. 2FB

TEST PIT NO. 2FC

TEST PIT NO. 2FD

TEST PIT NO. 2FE

TEST PIT NO. 2FF

TEST PIT NO. 2FG

TEST PIT NO. 2FH

TEST PIT NO. 2FI

TEST PIT NO. 2FJ

TEST PIT NO. 2FK

TEST PIT NO. 2FL

TEST PIT NO. 2FM

TEST PIT NO. 2FN

TEST PIT NO. 2FO

TEST PIT NO. 2FP

TEST PIT NO. 2FQ

TEST PIT NO. 2FR

TEST PIT NO. 2FS

TEST PIT NO. 2FT

TEST PIT NO. 2FU

TEST PIT NO. 2FV

TEST PIT NO. 2FW

TEST PIT NO. 2FX

TEST PIT NO. 2FY

TEST PIT NO. 2FZ

TEST PIT NO. 2GA

TEST PIT NO. 2GB

TEST PIT NO. 2GC

TEST PIT NO. 2GD

TEST PIT NO. 2GE

TEST PIT NO. 2GF

TEST PIT NO. 2GG

TEST PIT NO. 2GH

TEST PIT NO. 2GI

TEST PIT NO. 2GJ

TEST PIT NO. 2GK

TEST PIT NO. 2GL

TEST PIT NO. 2GM

TEST PIT NO. 2GN

TEST PIT NO. 2GO

TEST PIT NO. 2GP

TEST PIT NO. 2GQ

TEST PIT NO. 2GR

TEST PIT NO. 2GS

TEST PIT NO. 2GT

TEST PIT NO. 2GU

TEST PIT NO. 2GV

TEST PIT NO. 2GW

TEST PIT NO. 2GX

TEST PIT NO. 2GY

TEST PIT NO. 2GZ

TEST PIT NO. 2HA

TEST PIT NO. 2HB

TEST PIT NO. 2HC

TEST PIT NO. 2HD

TEST PIT NO. 2HE

TEST PIT NO. 2HF

TEST PIT NO. 2HG

TEST PIT NO. 2HH

TEST PIT NO. 2HI

TEST PIT NO. 2HJ

TEST PIT NO. 2HK

TEST PIT NO. 2HL

TEST PIT NO. 2HM

TEST PIT NO. 2HN

TEST PIT NO. 2HO

TEST PIT NO. 2HP

TEST PIT NO. 2HQ

TEST PIT NO. 2HR

TEST PIT NO. 2HS

TEST PIT NO. 2HT

TEST PIT NO. 2HU

TEST PIT NO. 2HV

TEST PIT NO. 2HW

TEST PIT NO. 2HX

TEST PIT NO. 2HY

TEST PIT NO. 2HZ

TEST PIT NO. 2IA

TEST PIT NO. 2IB

TEST PIT NO. 2IC

TEST PIT NO. 2ID

TEST PIT NO. 2IE

TEST PIT NO. 2IF

TEST PIT NO. 2IG

TEST PIT NO. 2IH

TEST PIT NO. 2IJ

TEST PIT NO. 2IK

TEST PIT NO. 2IL

TEST PIT NO. 2IM

TEST PIT NO. 2IN

TEST PIT NO. 2IO

TEST PIT NO. 2IP

TEST PIT NO. 2IQ

TEST PIT NO. 2IR

TEST PIT NO. 2IS

TEST PIT NO. 2IT

TEST PIT NO. 2IU

TEST PIT NO. 2IV

TEST PIT NO. 2IW

TEST PIT NO. 2IX

TEST PIT NO. 2IY

TEST PIT NO. 2IZ

TEST PIT NO. 2JA

TEST PIT NO. 2JB

TEST PIT NO. 2JC

TEST PIT NO. 2JD

TEST PIT NO. 2JE

TEST PIT NO. 2JF

TEST PIT NO. 2JG

TEST PIT NO. 2JH

TEST PIT NO. 2JI

TEST PIT NO. 2JJ

TEST PIT NO. 2JK

TEST PIT NO. 2JL

TEST PIT NO. 2JM

TEST PIT NO. 2JN

TEST PIT NO. 2JO

TEST PIT NO. 2JP

TEST PIT NO. 2JQ

TEST PIT NO. 2JR

TEST PIT NO. 2JS

TEST PIT NO. 2JT

TEST PIT NO. 2JU

TEST PIT NO. 2JV

TEST PIT NO. 2JW

TEST PIT NO. 2JX

TEST PIT NO. 2JY

TEST PIT NO. 2JZ

TEST PIT NO. 2KA

TEST PIT NO. 2KB

TEST PIT NO. 2KC

TEST PIT NO. 2KD

TEST PIT NO. 2KE

TEST PIT NO. 2KF

TEST PIT NO. 2KG

TEST PIT NO. 2KH

TEST PIT NO. 2KI

TEST PIT NO. 2KJ

TEST PIT NO. 2KK

TEST PIT NO. 2KL

TEST PIT NO. 2KM

TEST PIT NO. 2KN

TEST PIT NO. 2KO

TEST PIT NO. 2KP

TEST PIT NO. 2KQ

TEST PIT NO. 2KR

TEST PIT NO. 2KS

TEST PIT NO. 2KT

TEST PIT NO. 2KU

TEST PIT NO. 2KV

TEST PIT NO. 2KW

TEST PIT NO. 2KX

TEST PIT NO. 2KY

TEST PIT NO. 2KZ

TEST PIT NO. 2LA

TEST PIT NO. 2LB

TEST PIT NO. 2LC

TEST PIT NO. 2LD

TEST PIT NO. 2LE

TEST PIT NO. 2LF

TEST PIT NO. 2LG

TEST PIT NO. 2LH

TEST PIT NO. 2LI

TEST PIT NO. 2LJ

TEST PIT NO. 2LK

TEST PIT NO. 2LL

TEST PIT NO. 2LM

TEST PIT NO. 2LN

TEST PIT NO. 2LO

TEST PIT NO. 2LP

TEST PIT NO. 2LQ

TEST PIT NO. 2LR

TEST PIT NO. 2LS

TEST PIT NO. 2LT

TEST PIT NO. 2LU

TEST PIT NO. 2LV

TEST PIT NO. 2LW

TEST PIT NO. 2LX

TEST PIT NO. 2LY

TEST PIT NO. 2LZ

TEST PIT NO. 2MA

TEST PIT NO. 2MB

TEST PIT NO. 2MC

TEST PIT NO. 2MD

TEST PIT NO. 2ME

TEST PIT NO. 2MF

TEST PIT NO. 2MG

TEST PIT NO. 2MH

TEST PIT NO. 2MI

TEST PIT NO. 2MJ

TEST PIT NO. 2MK

TEST PIT NO. 2ML

TEST PIT NO. 2MN

TEST PIT NO. 2MO

TEST PIT NO. 2MP

TEST PIT NO. 2MQ

TEST PIT NO. 2MR

TEST PIT NO. 2MS

TEST PIT NO. 2MT

TEST PIT NO. 2MU

TEST PIT NO. 2MV

TEST PIT NO. 2MW

TEST PIT NO. 2MX

TEST PIT NO. 2MY

TEST PIT NO. 2MZ

TEST PIT NO. 2NA

TEST PIT NO. 2NB

TEST PIT NO. 2NC

TEST PIT NO. 2ND

TEST PIT NO. 2NE

TEST PIT NO. 2NF

TEST PIT NO. 2NG

TEST PIT NO. 2NH

TEST PIT NO. 2NI

TEST PIT NO. 2NJ

TEST PIT NO. 2NK

TEST PIT NO. 2NL

TEST PIT NO. 2NM

TEST PIT NO. 2NN

TEST PIT NO. 2NO

TEST PIT NO. 2NP

TEST PIT NO. 2NQ

TEST PIT NO. 2NR

TEST PIT NO. 2NS

TEST PIT NO. 2NT

TEST PIT NO. 2NU

TEST PIT NO. 2NV

TEST PIT NO. 2NW

TEST PIT NO. 2NX

TEST PIT NO. 2NY

TEST PIT NO. 2NZ

TEST PIT NO. 2OA

TEST PIT NO. 2OB

TEST PIT NO. 2OC

TEST PIT NO. 2OD

TEST PIT NO. 2OE

TEST PIT NO. 2OF

TEST PIT NO. 2OG

TEST PIT NO. 2OH

TEST PIT NO. 2OI

TEST PIT NO. 2OJ

TEST PIT NO. 2OK

TEST PIT NO. 2OL

TEST PIT NO. 2OM

TEST PIT NO. 2ON

TEST PIT NO. 2OO

TEST PIT NO. 2OP

TEST PIT NO. 2OQ

TEST PIT NO. 2OR

TEST PIT NO. 2OS

TEST PIT NO. 2OT

TEST PIT NO. 2OU

TEST PIT NO. 2OV

TEST PIT NO. 2OW

TEST PIT NO. 2OX

TEST PIT NO. 2OY

TEST PIT NO. 2OZ

TEST PIT NO. 2PA

TEST PIT NO. 2PB

TEST PIT NO. 2PC

TEST PIT NO. 2PD

TEST PIT NO. 2PE

TEST PIT NO. 2PF

TEST PIT NO. 2PG

TEST PIT NO. 2PH

TEST PIT NO. 2PI

TEST PIT NO. 2PJ

TEST PIT NO. 2PK

TEST PIT NO. 2PL

TEST PIT NO. 2PM

TEST PIT NO. 2PN

TEST PIT NO. 2PO

TEST PIT NO. 2PP

TEST PIT NO. 2PQ

TEST PIT NO. 2PR

TEST PIT NO. 2PS

TEST PIT NO. 2PT

TEST PIT NO. 2PU

TEST PIT NO. 2PV

TEST PIT NO. 2PW

TEST PIT NO. 2PX

TEST PIT NO. 2PY

TEST PIT NO. 2PZ

TEST PIT NO. 2QA

TEST PIT NO. 2QB

TEST PIT NO. 2QC

TEST PIT NO. 2QD

TEST PIT NO. 2QE

TEST PIT NO. 2QF

TEST PIT NO. 2QG

TEST PIT NO. 2QH

TEST PIT NO. 2QI

TEST PIT NO. 2QJ

TEST PIT NO. 2QK

TEST PIT NO. 2QL

TEST PIT NO. 2QM

TEST PIT NO. 2QN

TEST PIT NO. 2QO

TEST PIT NO. 2QP

TEST PIT NO. 2QQ

TEST PIT NO. 2QR

TEST PIT NO. 2QS

TEST PIT NO. 2QT

TEST PIT NO. 2QU

TEST PIT NO. 2QV

TEST PIT NO. 2QW

TEST PIT NO. 2QX

TEST PIT NO. 2QY

TEST PIT NO. 2QZ

TEST PIT NO. 2RA

TEST PIT NO. 2RB

TEST PIT NO. 2RC

TEST PIT NO. 2RD

TEST PIT NO. 2RE

TEST PIT NO. 2RF

TEST PIT NO. 2RG

TEST PIT NO. 2RH

TEST PIT NO. 2RI

TEST PIT NO. 2RJ

TEST PIT NO. 2RK

TEST PIT NO. 2RL

TEST PIT NO. 2RM

TEST PIT NO. 2RN

TEST PIT NO. 2RO

TEST PIT NO. 2RP

TEST PIT NO. 2RQ

TEST PIT NO. 2RR

TEST PIT NO. 2RS

TEST PIT NO. 2RT

TEST PIT NO. 2RU

TEST PIT NO. 2RV

TEST PIT NO. 2RW

TEST PIT NO. 2RX

TEST PIT NO. 2RY

TEST PIT NO. 2RZ

TEST PIT NO. 2SA

TEST PIT NO. 2SB

TEST PIT NO. 2SC

TEST PIT NO. 2SD

TEST PIT NO. 2SE

TEST PIT NO. 2SF

TEST PIT NO. 2SG

TEST PIT NO. 2SH

TEST PIT NO. 2SI

TEST PIT NO. 2SJ

TEST PIT NO. 2SK

TEST PIT NO. 2SL

TEST PIT NO. 2SM

TEST PIT NO. 2SN

TEST PIT NO. 2SO

TEST PIT NO. 2SP

TEST PIT NO. 2SQ

TEST PIT NO. 2SR

TEST PIT NO. 2SS

TEST PIT NO. 2ST

TEST PIT NO. 2SU

TEST PIT NO. 2SV

TEST PIT NO. 2SW

TEST PIT NO. 2SX

TEST PIT NO. 2SY

TEST PIT NO. 2SZ

TEST PIT NO. 2TA

TEST PIT NO. 2TB

TEST PIT NO. 2TC

TEST PIT NO. 2TD

TEST PIT NO. 2TE

TEST PIT NO. 2TF

TEST PIT NO. 2TG

TEST PIT NO. 2TH

TEST PIT NO. 2TI

TEST PIT NO. 2TJ

TEST PIT NO. 2TK

TEST PIT NO. 2TL

TEST PIT NO. 2TM

TEST PIT NO. 2TN

TEST PIT NO. 2TO

TEST PIT NO. 2TP

TEST PIT NO. 2TQ

TEST PIT NO. 2TR

TEST PIT NO. 2TS

TEST PIT NO. 2TT

TEST PIT NO. 2TU

TEST PIT NO. 2TV

TEST PIT NO. 2TW

TEST PIT NO. 2TX

TEST PIT NO. 2TY

TEST PIT NO. 2TZ

TEST PIT NO. 2UA

TEST PIT NO. 2UB

TEST PIT NO. 2UC

TEST PIT NO. 2UD

TEST PIT NO. 2UE

TEST PIT NO. 2UF

TEST PIT NO. 2UG

TEST PIT NO. 2UH

TEST PIT NO. 2UI

TEST PIT NO. 2UJ

TEST PIT NO. 2UK

TEST PIT NO. 2UL

TEST PIT NO. 2UM

TEST PIT NO. 2UN

TEST PIT NO. 2UO

TEST PIT NO. 2UP

TEST PIT NO. 2UQ

TEST PIT NO. 2UR

TEST PIT NO. 2US

TEST PIT NO. 2UT

TEST PIT NO. 2UU

TEST PIT NO. 2UV

TEST PIT NO. 2UW

TEST PIT NO. 2UX

TEST PIT NO. 2UY

TEST PIT NO. 2UZ

TEST PIT NO. 2VA

TEST PIT NO. 2VB

TEST PIT NO. 2VC

TEST PIT NO. 2VD

TEST PIT NO. 2VE

TEST PIT NO. 2VF

TEST PIT NO. 2VG

TEST PIT NO. 2VH

TEST PIT NO. 2VI

TEST PIT NO. 2VJ

TEST PIT NO. 2VK

TEST PIT NO. 2VL

TEST PIT NO. 2VM

TEST PIT NO. 2VN

TEST PIT NO. 2VO

TEST PIT NO. 2VP

TEST PIT NO. 2VQ

TEST PIT NO. 2VR

TEST PIT NO. 2VS

TEST PIT NO. 2VT

TEST PIT NO. 2VU

TEST PIT NO. 2VV

TEST PIT NO. 2VW

TEST PIT NO. 2VX

TEST PIT NO. 2VY

TEST PIT NO. 2VZ

TEST PIT NO. 2WA

TEST PIT NO. 2WB

TEST PIT NO. 2WC

TEST PIT NO. 2WD

TEST PIT NO. 2WE

TEST PIT NO. 2WF

TEST PIT NO. 2WG

TEST PIT NO. 2WH

TEST PIT NO. 2WI

TEST PIT NO. 2WJ

TEST PIT NO. 2WK

TEST PIT NO. 2WL

TEST PIT NO. 2WM

TEST PIT NO. 2WN

TEST PIT NO. 2WO

TEST PIT NO. 2WP

TEST PIT NO. 2WQ

TEST PIT NO. 2WR

TEST PIT NO. 2WS

TEST PIT NO. 2WT

TEST PIT NO. 2WU

TEST PIT NO. 2WV

TEST PIT NO. 2WW

TEST PIT NO. 2WX

TEST PIT NO. 2WY

TEST PIT NO. 2WZ

TEST PIT NO. 2XA

TEST PIT NO. 2XB

TEST PIT NO. 2XC

TEST PIT NO. 2XD

TEST PIT NO. 2XE

TEST PIT NO. 2XF

TEST PIT NO. 2XG

TEST PIT NO. 2XH

TEST PIT NO. 2XI

TEST PIT NO. 2XJ

TEST PIT NO. 2XK

TEST PIT NO. 2XL

TEST PIT NO. 2XM

TEST PIT NO. 2XN

TEST PIT NO. 2XO

TEST PIT NO. 2XP

TEST PIT NO. 2XQ

TEST PIT NO. 2XR

TEST PIT NO. 2XS

TEST PIT NO. 2XT

TEST PIT NO. 2XU

TEST PIT NO. 2XV

TEST PIT NO. 2XW

TEST PIT NO. 2XX

TEST PIT NO. 2XY

TEST PIT NO. 2XZ

TEST PIT NO. 2YA

TEST PIT NO. 2YB

TEST PIT NO. 2YC

TEST PIT NO. 2YD

TEST PIT NO. 2YE

TEST PIT NO. 2YF

TEST PIT NO. 2YG

TEST PIT NO. 2YH

TEST PIT NO. 2YI

TEST PIT NO. 2YJ

TEST PIT NO. 2YK

TEST PIT NO. 2YL

TEST PIT NO. 2YM

TEST PIT NO. 2YN

TEST PIT NO. 2YO

TEST PIT NO. 2YP

TEST PIT NO. 2YQ

TEST PIT NO. 2YR

TEST PIT NO. 2YS

TEST PIT NO. 2YT

TEST PIT NO. 2YU

TEST PIT NO. 2YV

TEST PIT NO. 2YW

TEST PIT NO. 2YX

TEST PIT NO. 2YY

TEST PIT NO. 2YZ

TEST PIT NO. 2ZA

TEST PIT NO. 2ZB

TEST PIT NO. 2ZC

TEST PIT NO. 2ZD

TEST PIT NO. 2ZE

TEST PIT NO. 2ZF

TEST PIT NO. 2ZG

TEST PIT NO. 2ZH

TEST PIT NO. 2ZI

TEST PIT NO. 2ZJ

TEST PIT NO. 2ZK

TEST PIT NO. 2ZL

TEST PIT NO. 2ZM

TEST PIT NO. 2ZN

TEST PIT NO. 2ZO

TEST PIT NO. 2ZP

TEST PIT NO. 2ZQ

TEST PIT NO. 2ZR

TEST PIT NO. 2ZS

TEST PIT NO. 2ZT

TEST PIT NO. 2ZU

TEST PIT NO. 2ZV

TEST PIT NO. 2ZW

TEST PIT NO. 2ZX

TEST PIT NO. 2ZY

TEST PIT NO. 2ZZ

